CONTENTS

PART 1 JANUARY 2003

ARISUE, N., HASHIMOTO, T. and YOSHIKAWA, H. Sequence heterogeneity of the small subunit ribosomal RNA genes among *Blastocystis* isolates 1

HANINCOVÁ, K., SCHÄFER, S. M., ETTI, S., SEWELL, H.-S., TARAGELOVÁ, V., ZIAK, D., LABUDA, M. and KURTENBACH, K. Association of *Borrelia afzelii* with rodents in Europe 11

MARQUIS, J.-F., DROLET, M. and OLIVIER, M. Consequence of Hoechst 33342-mediated *Leishmania* DNA topoisomerase-I inhibition on parasite replication 21

FRANK, F. M., FERNÁNDEZ, M. M., TARANTO, N. J., CAJAL, S. P., MARGNI, R. A., CASTRO, E., THOMAZ-SOCCOL, V. and MALCHIODI, E. L. Characterization of human infection by *Leishmania* spp. in the Northwest of Argentina: immune response, double infection with *Trypanosoma cruzi* and species of *Leishmania* involved 31

HÖLSCHER, C., HARTMANN, R., MOSSMANN, H. and SCHAUB, G. A. Effects of the isolation methodology on protein profiles of blood trypomastigotes of *Trypanosoma cruzi* 41

HULSTIJN, M., BARROS, L. A., NEVES, R. H., MOURA, E. G. and MACHADO-SILVA, J. R. Morphological changes in the reproductive organs of male and female *Schistosoma mansoni* worms caused by streptozotocin, a drug used to induce diabetes mellitus 53

MALEEWONG, W., INTAPAN, P. M., WONGKHAM, C., WONGSAROJ, T., KOWSUWAN, T., PUMIDONMING, W., PONGSASKULCHOTI, P. and KITIKOON, V. Detection of *Opisthorchis viverrini* in experimentally infected bithynid snails and cyprinoid fishes by a PCR-based method 63

ŠIMKOVÁ, A., SITKO, J., OKULEWICZ, J. and MORAND, S. Occurrence of intermediate hosts and structure of digenean communities of the black-headed gull, *Larus ridibundus* (L.) 69

WILLSON, J., AMLIWALA, K., HARDER, A., HOLDEN-DYE, L. and WALKER, R. J. The effect of the anthelmintic emodepside at the neuromuscular junction of the parasitic nematode *Ascaris suum* 79

DUERR, H. P., DIETZ, K. and EICHNER, M. On the interpretation of age–intensity profiles and dispersion patterns in parasitological surveys 87

PART 2 FEBRUARY 2003

MACKINNON, M. J. and READ, A. F. The effects of host immunity on virulence–transmissibility relationships in the rodent malaria parasite *Plasmodium chabaudi* 103

DUH, D., PETROVEC, M., TRILAR, T. and AVSIC-ZUPANC, T. The molecular evidence of *Babesia microti* infection in small mammals collected in Slovenia 113

KELLY, A., HATCHER, M. J. and DUNN, A. M. The impact of a vertically transmitted microsporidian, *Nosema granulosis* on the fitness of its *Gammarus duebeni* host under stressful environmental conditions 119

IGLESIAS, R., PARAMÁ, A., ÁLVAREZ, M. F., LEIRO, J., UBEIRA, F. M. and SANMARTÍN, M. L. *Philasterides dicentrarchi* (Ciliophora: Scuticociliatida) expresses surface immobilization antigens that probably induce protective immune responses in turbot 125

WHITFIELD, P. J., BARTLETT, A., KHAMMO, N., BRAIN, A. P. R., BROWN, M. B., MARRIOTT, C. and CLOTHIER, R. Delayed tail loss during the invasion of human skin by schistosome cercariae 135

BUCHANAN, J. F., FAIRWEATHER, I., BRENNAN, G. P., TRUDGETT, A. and HOEY, E. M. *Fasciola hepatica*: surface and internal tegumental changes induced by treatment *in vitro* with the sulphoxide metabolite of albendazole ('Valbazen') 141

SEIXAS, A., DOS SANTOS, P. C., VELLOSO, F. F., DA SILVA VAZ Jr, I., MASUDA, A., HORN, F. and TERMIGNONI, C. A *Boophilus microplus* vitellin-degrading cysteine endopeptidase 155

MARUYAMA, H., EL-MALKY, M., KUMAGAI, T. and OHTA, N. Secreted adhesion molecules of *Strongyloides venezuelensis* are produced by oesophageal glands and are components of the wall of tunnels constructed by adult worms in the host intestinal mucosa 165

VAN DER VEEN, I. T. Is body size or activity of copepods related to ingestion of parasite larvae? 173

WILLIAMSON, A. L., BRINDLEY, P. J. and LOUKAS, A. Hookworm cathepsin D aspartic proteases: contributing roles in the host-specific degradation of serum proteins and skin macromolecules 179
CORRIGENDUM 186

PART 3 MARCH 2003

GUILPIN, V. O., NOSBISCH, L., TITUS, R. G. and SWARDSON-OLVER, C. J. Infection with *Leishmania major* stimulates haematopoiesis in susceptible BALB/c mice and suppresses haematopoiesis in resistant CBA mice 187
AGUIRRE-GARCÍA, M. M., ANAYA-RUIZ, M. and TALAMÁS-ROHANA, P. Membrane-bound acid phosphatase (MAP) from *Entamoeba histolytica* has phosphotyrosine phosphatase activity and disrupts the actin cytoskeleton of host cells 195
LOCKYER, A. E., OLSON, P. D., OSTERGAARD, P., ROLLINSON, D., JOHNSTON, D. A., ATTWOOD, S. W., SOUTHGATE, V. R., HORAK, P., SNYDER, S. D., LE, T. H., AGATSUMA, T., MCMANUS, D. P., CARMICHAEL, A. C., NAEM, S. and LITTLEWOOD, D. T. J. The phylogeny of the Schistosomatidae based on three genes with emphasis on the interrelationships of *Schistosoma* Weinland, 1858 203
STANLEY, R. G., NGAIZA, J. R., ATIENO, E., JELL, G., FRANCKLOW, K., JACKSON, C. L., PARRY, H. and DOENHOFF, M. J. Immune-dependent thrombocytopaenia in mice infected with *Schistosoma mansoni* 225
DOENHOFF, M. J., STANLEY, R. G., PRYCE, D., CURTIS, R. C. H., PARRY, H., GRIFFITHS, K. and JACKSON, C. L. Identification of a fibrinolytic enzyme in *Schistosoma mansoni* eggs and modulated blood fibrinogen metabolism in *S. mansoni*-infected mice 231
TAN, H. H. C., THORNHILL, J. A., AL-ADHAMI, B. H., AKHKHA, A. and KUSEL, J. R. A study of the effect of surface damage on the uptake of Texas Red–BSA by schistosomula of *Schistosoma mansoni* 235
TAYLOR, L. H., KATZER, F., SHIELS, B. R. and WELBURN, S. C. Genetic and phenotypic analysis of Tunisian *Theileria annulata* clones 241
BROWN, M. J. F., MORET, Y. and SCHMID-HEMPEL, P. Activation of host constitutive immune defence by an intestinal trypanosome parasite of bumble bees 253
IRWIN, S. W. B., GALAKTIONOV, K. V., MALKOVA, I. I., SAVILLE, D. H. and FITZPATRICK, S. M. An ultrastructural study of reproduction in the parthenogenetic metacercariae of *Cercaria margaritensis* Ching, 1982 (Digenea: Gymnophallidae) 261
STEWART, M. T., MOUSLEY, A., KOUBKOVÁ, B., ŠEBELOVÁ, Š., MARKS, N. J. and HALTON, D. W. Gross anatomy of the muscle systems and associated innervation of *Apatemon cobitidis proterorhini* metacercaria (Trematoda: Strigeidea), as visualized by confocal microscopy 273

PART 4 APRIL 2003

LI, Q. G., SI, Y. Z., LEE, P., WONG, E., XIE, L. H., KYLE, D. E. and DOW, G. S. Efficacy comparison of intravenous artelinate and artesunate in *Plasmodium berghei*-infected Sprague-Dawley rats 283
MACINTYRE, E. A., EARNHART, C. G. and KAATTARI, S. L. Host oyster tissue extracts modulate *in vitro* protease expression and cellular differentiation in the protozoan parasite, *Perkinsus marinus* 293
CANNAS, A., NAGULESWARAN, A., MÜLLER, N. and EPERON, S. Vaccination of mice against experimental *Neospora caninum* infection using NcSAG1- and NcSRS2-based recombinant antigens and DNA vaccines 303
CASAL, G., MATOS, E. and AZEVEDO, C. Light and electron microscopic study of the myxosporean, *Henneguya friderici* n. sp. from the Amazonian teleostean fish, *Leporinus friderici* 313
NUÑEZ, G. G., COSTANTINO, S. N. and VENTURIELLO, S. M. Immunoparasitological parameters of the intestinal phase of trichinellosis in rats 321
WEBSTER, B. L. and SOUTHGATE, V. R. Mating interactions of *Schistosoma haematobium* and *S. intercalatum* with their hybrid offspring 327
MAZZI, D. and BAKKER, T. C. M. A Predator's Dilemma: prey choice and parasite susceptibility in three-spined sticklebacks 339
ZURAWSKI, T. H., MOUSLEY, A., MAULE, A. G., GELNAR, M. and HALTON, D. W. Cytochemical studies of the neuromuscular systems of the diporpa and juvenile stages of *Eudiplozoon nipponicum* (Monogenea: Diplozoidae) 349

BARBER, I. and SVENSSON, P. A. Effects of experimental *Schistocephalus solidus* infections on growth, morphology and sexual development of female three-spined sticklebacks, *Gasterosteus aculeatus* 359
CHRISTEN, M. and MILINSKI, M. The consequences of self-fertilization and outcrossing of the cestode *Schistocephalus solidus* in its second intermediate host 369
EZENWA, V. O. Habitat overlap and gastrointestinal parasitism in sympatric African bovids 379

PART 5 MAY 2003

ABDEL-MUHSIN, A. A., MACKINNON, M. J., AWADALLA, P., ALI, E., SULEIMAN, S., AHMED, S., WALLIKER, D. and BABIKER, H. A. Local differentiation in *Plasmodium falciparum* drug resistance genes in Sudan 391
DAILY, J. P., ROBERTS, C., THOMAS, S. M., NDIR, O., DIENG, T., MBOUP, S. and WIRTH, D. F. Prevalence of *Plasmodium falciparum pfcrt* polymorphisms and *in vitro* chloroquine sensitivity in Senegal 401
ENEMARK, H. L., AHRENS, P., BILLE-HANSEN, V., HEEGAARD, P. M. H., VIGRE, H., THAMSBORG, S. M. and LIND, P. *Cryptosporidium parvum*: infectivity and pathogenicity of the 'porcine' genotype 407
TORGERSON, P. R., SHAIKENOV, B. S., RYSMUKHAMBETOVA, A. T., USSENBAYEV, A. E., ABDYBEKOVA, A. M. and BURTISURNOV, K. K. Modelling the transmission dynamics of *Echinococcus granulosus* in dogs in rural Kazakhstan 417
CLAES, F., AGBO, E. C., RADWANSKA, M., TE PAS, M. F. W., BALTZ, T., DE WAAL, D. T., GODDEERIS, B. M., CLAASSEN, E. and BÜSCHER, P. How does *Trypanosoma equiperdum* fit into the *Trypanozoon* group? A cluster analysis by RAPD and Multiplex-endonuclease genotyping approach 425
TOLEDO, R., ESPERT, A., CARPENA, I., MUÑOZ-ANTOLI, C. and ESTEBAN, J. G. An experimental study of the reproductive success of *Echinostoma friedi* (Trematoda: Echinostomatidae) in the golden hamster 433
HERTEL, J., HABERL, B., HAMBURGER, J. and HAAS, W. Description of a tandem repeated DNA sequence of *Echinostoma caproni* and methods for its detection in snail and plankton samples 443
KENYON, F., WELSH, M., PARKINSON, J., WHITTON, C., BLAXTER, M. L. and KNOX, D. P. Expressed sequence tag survey of gene expression in the scab mite *Psoroptes ovis* – allergens, proteases and free-radical scavengers 451
THEODOROPOULOS, G., STYLIARA, M., PETRAKOS, M. and KAPEL, C. M. O. Effect of fox, pig, sheep, and poultry bile on the establishment of domestic and sylvatic species of *Trichinella* in rats 461
VILAS, R., PANIAGUA, E. and SANMARTÍN, M. L. Genetic variation within and among infrapopulations of the marine digenetic trematode *Lecithochirium fusiforme* 465
POULIN, R. and MOUILLOT, D. Parasite specialization from a phylogenetic perspective: a new index of host specificity 473
FICHET-CALVET, E., JUEFEI WANG, JOMÂA, I., BEN ISMAIL, R. and ASHFORD, R. W. Patterns of the tapeworm *Raillietina trapezoides* infection in the fat sand rat *Psammomys obesus* in Tunisia: season, climatic conditions, host age and crowding effects 481
LUO, H. Y., NIE, P., ZHANG, Y. A., YAO, W. J. and WANG, G. T. Genetic differentiation in populations of the cestode *Bothriocephalus acheilognathi* (Cestoda, Pseudophyllidea) as revealed by eight microsatellite markers 493

PART 6 JUNE 2003

HARTMANN, N., STUCKAS, H., LUCIUS, R., BLEIB, W., THEURING, F. and KALINNA, B. H. Transspecies transfer of Wolbachia: microinjection of *Wolbachia* from *Litomosoides sigmodontis* into *Acanthocheilonema viteae* 503
ARBEILLE, P., CARLES, G., GEORGESCU, M., TOBAL, N., HERAULT, S., BOUSQUET, F. and PERROTIN, F. Consequences of reduced umbilical and increased fœtal cerebral flow during malaria crisis on fœtal behaviour 513
DUBEY, J. P., SREEKUMAR, C., LINDSAY, D. S., HILL, D., ROSENTHAL, B. M., VENTURINI, L., VENTURINI, M. C. and GREINER, E. C. *Besnoita oryctofelisi* n. sp. (Protozoa: Apicomplexa) from domestic rabbits 521

PENG, B.-W., LIN, J., LIN, J.-Y., JIANG, M.-S. and ZHANG, T. Exogenous nitric oxide induces apoptosis in *Toxoplasma gondii* tachyzoites via a calcium signal transduction pathway 541

FLORÊNCIO, M. S. and PEIXOTO, C. A. The effects of diethylcarbamazine on the ultrastructure of microfilariae of *Wuchereria bancrofti* 551

JAKES, K., O'DONOGHUE, P. J. and CAMERON, S. L. Phylogenetic relationships of *Hepatozoon* (*Haemogregarina*) *boigae*, *Hepatozoon* sp., *Haemogregarina clelandi* and *Haemoproteus chelodina* from Australian reptiles to other Apicomplexa based on cladistic analyses of ultrastructural and life-cycle characters 555

SIVERAJAH, S., RYCE, C., MORRISON, D. A. and ELLIS, J. T. Characterization of an alpha tubulin gene sequence from *Neospora caninum* and *Hammondia heydorni*, and their comparison to homologous genes from Apicomplexa 561

OCHANDA, H., YOUNG, A. S. and MEDLEY, G. F. Survival of *Theileria parva* in its nymphal tick vector, *Rhipicephalus appendiculatus*, under laboratory and quasi natural conditions 571

PERONE, D., SANTOS, M. A. M., PEIXOTO, M. S. and CICARELLI, R. M. B. *Trypanosoma cruzi*: identification and characterization of a novel ribosomal protein L27 (Tcr L27) that cross-reacts with an affinity-purified anti-Sm antibody 577

TERENINA, N. B., ONUFRIEV, M. V., GULYAEVA, N. V., MOISEEVA, Y. V. and GUSTAFSSON, M. K. S. Nitric oxide synthase activity in *Fasciola hepatica*: a radiometric study 585

INABA, T., SATO, H. and KAMIYA, H. Monoclonal IgA antibody-mediated expulsion of *Trichinella* from the intestine of mice 591

BARTHOLOMEI-SANTOS, M. L., HEINZELMANN, L. S., OLIVEIRA, R. P., CHEMALE, G., GUTIERREZ, A. M., KAMENETZKY, L., HAAG, K. L. and ZAHA, A. Isolation and characterization of microsatellites from the tapeworm *Echinococcus granulosus* 599

BOOK REVIEWS 570, 584, 606